



CLASS "F" MOTOR - SLEEVE BEARINGS MANUFACTURED (Motore in classe "F" - Esecuzione a Bronzine)	
AXIAL CLEARANCE (Gioco assiale)	1,0 - 3,5 mm
SHELL (Fascia)	OPEN (Aperta)
END SHIELD - LEADS SIDE (Coperchio lato Cavi)	OPEN (Aperto)
END SHIELD - OPPOSITE LEADS SIDE (Cop. lato opposto cavi)	OPEN (Aperto)
ASSEMBLING SPECIFICATION No. (Normativa per note di montaggio)	EL.UN.0009
MECHANICAL SPECIFICATION No. (Normativa per note di controllo meccanico)	EL.CM.0002
ELECTRICAL SPECIFICATION No. (Controllo elettrico con prescrizione)	M.2293/1

0	1	2	3	4	5	6	⏏																		
CODE: FGFB45TB0326R																									
TYPE: 1FG 100-51-5V NA																									
230V~ 50/60Hz Th.Prot. Ins.CL.F																									
0,75A 80/155W 1300Rpm C=2,5µF 450VL																									
0,80A 90/165W 1300Rpm C=3,15µF 450VL																									
0,85A 100/190W 1300Rpm C=4µF 450VL																									
<table border="0"> <tr> <td>BLUE</td> <td>COMMON</td> </tr> <tr> <td>BROWN</td> <td>MAX-5 VEL.</td> </tr> <tr> <td>GREY</td> <td>4 VEL.</td> </tr> <tr> <td>VIOLET</td> <td>3 VEL.</td> </tr> <tr> <td>ORANGE</td> <td>2 VEL.</td> </tr> <tr> <td>RED</td> <td>MIN-1 VEL.</td> </tr> <tr> <td>YELLOW</td> <td></td> </tr> <tr> <td>GREEN</td> <td>⏏ C</td> </tr> <tr> <td>YELLOW/GREEN</td> <td>⏏</td> </tr> </table>								BLUE	COMMON	BROWN	MAX-5 VEL.	GREY	4 VEL.	VIOLET	3 VEL.	ORANGE	2 VEL.	RED	MIN-1 VEL.	YELLOW		GREEN	⏏ C	YELLOW/GREEN	⏏
BLUE	COMMON																								
BROWN	MAX-5 VEL.																								
GREY	4 VEL.																								
VIOLET	3 VEL.																								
ORANGE	2 VEL.																								
RED	MIN-1 VEL.																								
YELLOW																									
GREEN	⏏ C																								
YELLOW/GREEN	⏏																								
DATA																									

For dimension without tolerance see standard UNI EN 22768-mK				Treatment		A3	
Material				MOTOR		Weight gr.	
				Drawn Baronio G. Date 23/01/2013 Check Scale ---		Release -	
MOTORE 1FG 100-51-5V NA 230V 50/60Hz Th.Prot. CL.F				Ref. No.		FGFB45TB0326R	